

EGYPTIAN ITALIAN COMPANY FOR PRECAST CONCRETE PRODUCTS

**Catalog for available
products**

General manager

Eng. Mohammed
Younes

EGYPTIAN ITALIAN

for precast concrete

ADD : 40 Hosny Ahmed
Khalaf st. from Taha El
fashny st. - nasr city -
distirct 8

TE NO. 22737313 -
22747829 - 22726265

Email: Egyptian_Italian91
@yahoo.com




Products


- غرف تفتيش
- اغطيه جى ار
- بي
- اغطيه جى ار
- سي
- انترلوك
- مطابق
- نصف مجري
- مقاعد
- بردورات
- احواض زهور
- مصد سيارات
- حواجر طرق
- نيوجيرسي
- جيرلات اشجار
- قواعد اعمده
- الاناره

EGYPTIAN ITALIAN for precast concrete


Precast Man-hall Different Size - Can also be work of any size
مطابق صرف صحي وتعليات وأسقف غرف بمقاسات مختلفة - كما يمكن عمل أي مقاسات




100*50




100*100




120*50



120*100



Section (A-A)



Plan



PERSPECTIVE


precast Cyclic Height of 120 cm

120cm Diameter and wall thickness of 20cm height of 120 cm from the outside 2684 kg

100cm Diameter and wall thickness of 20cm height of 120 cm from the outside 2354 kg

EGYPTIAN ITALIAN

for precast concrete



Precast Concrete Connection 1000mm

INTERIOR DIMENSION	1200 ϕ mm
EXTERIOR DIMENSION	1600 ϕ mm
EXTERIOR HIGHT	1000mm
WALL THICNESS	200mm
WT. OF UNIT	1760.Kg

Precast Concrete Connection 500mm

INTERIOR DIMENSION	1200 ϕ mm
EXTERIOR DIMENSION	1600 ϕ mm
EXTERIOR HIGHT	500mm
WALL THICNESS	200mm
WT. OF UNIT	880.Kg

EGYPTIAN ITALIAN for precast concrete




غرف تفتيش لشبكات
صرف صحي - كهرباء - تليفونات - محابس مياه
كما توجد تعليقات للغرف

مقاسات الغرف

A (cm)	40	50	60	60	72	72	90	100	102	125	170	125	200	240
B (cm)	40	50	60	60	72	72	60	70	102	125	170	125	200	110
C (cm)	40	50	60	80	70	107	60	80	100	110	135	150	150	90
T (cm)	3.5	4	5	5	6	6	6	10	15	15	15	15	15	15
W.(Kg)	54	96	172	232	299	362	228	616	1320	2100	3542	2480	4600	2445

كما يمكن عمل أى مقاسات أخرى حسب الطلب والكمية



بلاعات أمطار بسيقون داخلى وبدون

مقاسات بلاعات الأمطار

A (cm)	40	60	80
B (cm)	40	60	80
C (cm)	40	60	120
T (cm)	5	6	15
W.(Kg)	68	200	1100

كما يمكن عمل أى مقاسات أخرى



EGYPTIAN ITALIAN

for precast concrete



Inspection room D					
L	W	H	W.T		
400	400	400	40		
500	500	500	50		
600	600	600	60		
700	700	700	70		
800	800	800	80		
900	900	900	90		
1000	1000	1000	100		
1100	1100	1100	110		
1200	1200	1200	120		
1300	1300	1300	130		
1400	1400	1400	140		
1500	1500	1500	150		
1600	1600	1600	160		
1700	1700	1700	170		
1800	1800	1800	180		
1900	1900	1900	190		
2000	2000	2000	200		



any size can be done as per customer request

EGYPTIAN ITALIAN

for precast concrete



Section : C - C

Precast Concrete Base

INTERIOR DIMENSION	500.0 * 500.0 * 1000.0 mm
EXTERIOR DIMENSION	800.0 * 800.0 mm
BASE EXTERIOR HEIGHT	1200mm
WALL THICKNESS	150mm
WT. OF UNIT	850 Kg

MIX DESIGN

ONE METER


CEMENT (Kg)	420
SAND (Kg)	520
GRAVEL 1 (Kg)	1200
WATER (liter)	231
ADDITIONAL (liter)	2.4

- 18 Kg/cm² AFTER 12 HOURS
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL



EGYPTIAN ITALIAN

for precast concrete



precast concrete rain drainage

INTERIOR DIMENSION	500*500*1000mm
EXTERIOR DIMENSION	800*800*1200mm
WALL THICKNESS	150mm
WT. OF UNIT	1900 kg

MIX DESIGN



ONE METER

CEMENT	(Kg)	400
SAND	(Kg)	520
GRAVEL 1	(Kg)	1200
WATER	(liter)	201
ADDITIONAL	(liter)	2.4

- 68 Kg/cm² AFTER 12 HOURS
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL
- All sizes approximate

EGYPTIAN ITALIAN

for precast concrete



precast concrete inspection room

INTERIOR DIMENSION	600*600*1000	mm
EXTERIOR DIMENSION	720*720*1070	mm
WALL THICKNESS	120	mm
WT. OF UNIT	500	kg

MIX DESIGN

ONE METER

CEMENT	(Kg)	400
SAND	(Kg)	520
GRAVEL 1	(Kg)	1200
WATER	(liter)	201
ADDITIONAL	(liter)	2.4

precast concrete inspection room

INTERIOR DIMENSION	600*600*630	mm
EXTERIOR DIMENSION	720*720*700	mm
WALL THICKNESS	120	mm
WT. OF UNIT	455	kg


MIX DESIGN

ONE METER


CEMENT	(Kg)	400
SAND	(Kg)	520
GRAVEL 1	(Kg)	1200
WATER	(liter)	201
ADDITIONAL	(liter)	2.4

- 68 Kg/cm² AFTER 12 HOURS
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL
- All sizes approximate

EGYPTIAN ITALIAN for precast concrete




Precast Concrete Base	
INERIOR DIMENSION	330.0 x 330.0 x 360.0 mm
EXTERIOR DIMENSION	400.0 x 400.0 x 400.0 mm
BASE EXTERIOR HIGHT	400.0 mm
WALL THICNESS	150 mm
WT. OF UNIT	62 kg



MIX DESIGN	
ONE METER	
CEMENT (kg)	400
SAND (kg)	520
GRAVEL 1 (kg)	1200
WATER (liter)	200
ADDITIONAL (liter)	2.4

EGYPTIAN ITALIAN

for precast concrete




Precast concrete

INTERIOR DIMENSION	0.6*0.6*1.66 m
EXTERIOR DIMENSION	0.9*0.9*1.91 m
BASE EXTERIOR DIMENSION	1.4*1.4*0.1 m
WALL THICKNESS	0.15 m

MIX DESIGN

ONE METER


CEMENT (kg)	400
SAND (kg)	520
GRAVEL 2 (kg)	1200
WATER (liter)	201
ADDITIONAL (liter)	2.4



Bearing above 40 ton

- 68 Kg/cm² AFTER 12 HOUR
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL


Technical drawing of a mechanical part with dimensions. The part has a base width of 1.4000 and a total height of 1.9100. The top edge is divided into three sections: a left vertical section of 0.2000, a central sloped section of 0.2500, and a right vertical section of 0.2000. The sloped section has a vertical height of 0.6000. The right vertical section has a height of 0.4500. The base has a thickness of 0.2000. The part is shown in a perspective view with a yellow background.



● All sizes approximate


EGYPTIAN ITALIAN

for precast concrete



Precast concrete

INERIOR DIMENSION	0.6*0.6*1.66 m
EXTERIOR DIMENSION	1.1*1.1*2 m
BASE EXTERIOR DIMINSION	1.4*1.4*0.1 m
WALL THICNESS	0.25 m



MIX DESIGN

ONE METER	
CEMENT (kg)	400
SAND (kg)	520
GRAVEL 1 (kg)	1200
WATER (liter)	201
ADDITIONAL	2.4

Bearing above 40 ton


- 68 Kg/cm² AFTER 12 HOURS
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL
- All sizes approximate

EGYPTIAN ITALIAN

for precast concrete





نصف مجرى



EGYPTIAN ITALIAN

for precast concrete





MIX DESIGN

ONE METER

CEMENT (kg)	400
SAND (kg)	520
GRAVEL 1 (kg)	1200
WATER (liter)	201
ADDITIONAL	2.4

EGYPTIAN ITALIAN

for precast concrete




MIX DESIGN

ONE METER

CEMENT (kg)	400
SAND (kg)	520
GRAVEL 1 (kg)	1200
WATER (liter)	201
ADDITION AL	2.4


EGYPTIAN ITALIAN

for precast concrete




CHANNEL

INTERIOR DIMENSION	240*300mm
EXTERIOR DIMENSION	360*360mm
LENGTH	1000mm
WALL THICKNESS	60mm
WT. OF UNIT	147.Kg






EGYPTIAN ITALIAN

for precast concrete



precast concrete	
exterior dimension	
wall thickness	
wt. of unit	

mix design	
one meter	
cement (kg)	400
sand (kg)	735
gravel 1 (kg)	1110
water (liter)	173
additional (liter)	sikament 6



EGYPTIAN ITALIAN for precast concrete



غطاء GRC, GRP بجميع الأشكال والمقاسات



غطاء GRP جميع المقاسات



غطاء GRP قطر 70 سم



غطاء GRC مستطيل



غطاء GRC أقطار مختلفة



غطاء GRC مربع



غطاء GRP قطر 70 سم



غطاء بلاعة أمطار



غطاء غرفة تفتيش





غطاء GRC مقاسات مختلفة


EGYPTIAN ITALIAN

for precast concrete

GRC & GRP Cover




Plan




GRP Cover

INTERIOR DIMENSION	D = 600 mm
EXTERIOR DIMENSION	D = 7200 mm
THICKNESS	T = 700/300 mm
WT. OF UNIT	67 kg






Front.VE







Right.VE



EGYPTIAN ITALIAN for precast concrete




for precast concrete



EGYPTIAN ITALIAN

for precast concrete



Precast concrete Pillar

HIGHT	90 cm
UPPER DIAMETER	40 cm
LOWER DIAMETER	45 cm
BASE DIAMETER	60 cm

MIX DESIGN


ONE METER

CEMENT (kg)	400
SAND (kg)	520
GRAVEL 2 (kg)	1200
WATER (liter)	201
ADDITIONAL	2.4



- 58 Kg/cm² AFTER 12 HOURS
- SLUMP FROM 5 cm TO 5 cm
- ADDITIONAL
- All sizes approximate


EGYPTIAN ITALIAN for precast concrete




مقاعد خرسانية مختلفة الأشكال



مقاعد خرسانية مختلفة الأشكال



كثبة ذات نقوش فرعونية



ترابيزة ذات نقوش فرعونية



سلة مهلات



اكشاك حراسه بطول 290 سم



كرسي خرسانية تقليد الخشب


قاعدة شمسية خرسانية



مقاعد خرسانية

EGYPTIAN ITALIAN for precast concrete

Bech Withou Rest



MIX DESIGN

ONE METER


CEMENT	(Kg)	400
SAND	(Kg)	520
GRAVEL 1	(Kg)	1200
WATER	(liter)	201
ADDITIONAL	(liter)	2.4




EGYPTIAN ITALIAN

for precast concrete


Bech Withou Rest






Plan



Front View




EGYPTIAN ITALIAN for precast concrete




EGYPTIAN ITALIAN

for precast concrete

Flowers Concrete Basin (2)



Plan





Front View

EGYPTIAN ITALIAN

for precast concrete


Garbage basket




EGYPTIAN ITALIAN

for precast concrete



Garbage basket




Plan




Front View



Plan



Front View



EGYPTIAN ITALIAN


for precast concrete




Garbage basket



Plan




Front View




EGYPTIAN ITALIAN for precast concrete

مجموعه من عينات بلاط الانترلوك



Enterlock 6cm and 8cm

Pharaonic Stone
40 X 20 Cm
14 X 34 Cm



Tile Pavement 40X40X4 Cm and 50X50X4 Cm

EGYPTIAN ITALIAN



for precast concrete

GRC & GRP Cover



EGYPTIAN ITALIAN

for precast concrete



EGYPTIAN ITALIAN for precast concrete

منتجات تنسيق حدائق تقليد الخشب - اكشاك حراسه - كرانيش



اعمده
وكرانيش

سلة
مهملات



اسوار

حريليات اشجار

نوافير وبرامق



انترلوك

EGYPTIAN ITALIAN for precast concrete

منتجات خرسانية سابقة التجهيز ومنتجات GRC & GRP



بلاعات امطار



عرف تفتيش



قواعد اعمدة انارة



مطابق



بردورات

اغطية
GRP
GRC

بردوره
خراساني



مصدات سيارات




بردورات



EGYPTIAN ITALIAN for precast concrete

بلاعات امطار



غرف ارضي



غرف تفتيش



مطابق

اعمدة
وكرانش



بردورات

بردوره
جرانيتي

اعطية
GRP
GRC

نصف مجرى



سلة
مهملات



تقليد الخشب

حوض زهور ميداني

منتجات تنسيق حدائق



احواض زهور



- منتجات GRP - GRC

- غرف تفتيش

- جميع المنتجات الخرسانية
سابقة التجهيز



نوافير وبرامق



حريليات اشجار

اسوار



نيو جيرسي



قواعد اعمدة انارة



انترلوك



EGYPTIAN ITALIAN for precast concrete



برجولة



مقاعد و ترابيزة من الخرسانة تقليد الخشب



جريدة اشجار



حوض زهور من الخرسانة
تقليد الخشب



حوض زهور مستطيل



احواض زهور



بلاطات حدائق من



كرسي روما

حجر فرعونى



الخرسانة المسلحة



مقعد مستطيل



نافورة